TITLE: Characterization and Fate of Ammonia and Hydrogen Sulfide from Animal Feeding Operations: Their Emissions, Transport, Transformation, Deposition, and Impact on Fine Particulate Matter (PMfine)

Principal Investigator and Project Scientist:

Viney P. Aneja

Professor, Air Quality

Department of Marine, Earth, and Atmospheric Sciences

North Carolina State University

Raleigh, NC 27695 – 8208

Co-Principal Investigators:

Greg Jennings, Associate Director

N C Water Resources Research Institute, & College of Agriculture and Life Sciences North Carolina State University

North Carolina State University

Raleigh, NC 27695 - 7912

John C. Fountain, Head

Department of Marine, Earth, and Atmospheric Sciences

North Carolina State University

Raleigh, NC 27695 – 8208

Co-Investigators:

S. Pal Arya, Department of Marine, Earth, and Atmospheric Sciences (MEAS), NCSU

Wendell Gilliam, Department of Soil Sciences, NCSU

Rohit Mathur, Carolina Environmental Program, UNC - Chapel Hill

Dev Niyogi, Department of MEAS and North Carolina Agricultural Research Services, NCSU

William Showers, Department of Marine, Earth, and Atmospheric Sciences, NCSU

Phillip Westerman, Department of Biological and Agricultural Engineering, NCSU

Yang Zhang, Department of MEAS and North Carolina Agricultural Research Services, NCSU

Objectives

RESEARCH

- •Characterize emissions of ammonia (NH₃) and hydrogen sulfide (H₂S) from lagoon, hog barns, soil and spraying operations; and develop emission factors.
- •Formulate exchange of NH₃ and H₂S flux in terms of external properties (physical, chemical, biological status) and atmospheric processes.
- •Develop a coupled mass-transfer with chemical reactions, and equilibrium models for H₂S emissions from waste treatment lagoon.
- Estimate deposition velocity and deposition potential for NH₃ and H₂S using micrometeorological and plant ecological measurements.
- •Estimate wet deposition potential for ammonium (NH₄⁺) and sulfate (SO₄²⁻); analyze total deposition (wet + dry) at a regional scale; assess its temporal and spatial variability using NADP observations and a regional air quality model.
- •Characterize source-receptor relationships between agricultural emissions, and regional studies of N and S based on isotopic studies and back-trajectory analyses.
- •Synthesize knowledge gained from emissions measurements and dry depositions of NH₃ and H₂S into a detailed air quality model to diagnose and reduce uncertainties so that reliable estimates of larger scale distributions and process budgets can be simulated.
- •Improve current understanding of the cycling of N and S compounds in the atmosphere; investigate coupling of these compounds with atmospheric aerosols and other criteria pollutants through development and evaluation of comprehensive multi-pollutant regional model.
- •Characterize and assess air quality in the region.


EXTENTION AND EDUCATION

- •Improve public understanding of air quality issues related to animal feeding operations, resulting in best management practices (BMPs).
- •Incorporate agricultural air quality into new introductory undergraduate/graduate courses.
- •Develop and offer courses/short courses on agricultural air quality to the stakeholder community and students.

Student Thesis Topics

- Jessica Blunden (Ph.D. Summer 2006) Measurements, modeling, and analysis of ammonia and reduced sulfur compounds at a commercial swine facility in North Carolina
- Stephen Goetz (M.S. Summer 2005) Measurement, analysis, and modeling of fine particulate matter in Eastern North Carolina
- Grace Hendrix (M.S. Summer 2006) The role of an ammonia rich environment for fine particular matter formation and transport in North Carolina
- Stephen Konarik (M.S. Summer 2006) Relation of dry and wet deposition and precipitation intensities over the southeastern United States
- Chris Occhipinti (M.S. Summer 2006) Isotopic classification of source/receptor relationships of nitrogen pollutants in North Carolina.

Atmospheric emissions, transport, transformation & deposition of trace gases



*Indirect deposition is direct deposition to land followed by runoff or seepage through groundwater to a surface water body. (Source: Aneja et al., 2001)

GLOBAL SOURCES OF TROPOSPHERIC AMMONIA

2 Ta NI/Va

1.	Fossil Fuel Combustion	2 1g N/11
2.	Soil-Biogenic Emissions	
	Cultivated Land Undisturbed Soils	10 Tg N/Yr 10 Tg N/Yr
3.	Domestic Animal Waste	32 Tg N/Yr
4.	Human Excretion	4 Tg N/Yr
5.	Biomass Burning	5 Tg N/Yr
6.	Seas and Oceans	13 Tg N/Yr

Total Global Ammonia Emissions ~75 Tg N/Yr

 $1 \text{ Tg} = 10^{12} \text{ g}$

Non-Industrial Sources of Sulfur in the Atmosphere (Gmol yr-1)*

Source	Hydrogen sulfide	Dimethyl sulfide	Carbon Disulfide	Carbonyl Sulfide
Oceans	< 9	500-1300	2.4-9.5	2.7-7.8
Coastal Wetlands	0.2-30	0.2-18	0.2-1.2	2.3-7.8
Soils and Plants	2-56	3-24	0.4	-
Volcanoes	16-47	-	0.2-2.4	0.1-1.5
Biomass burning	-	-	-	0.7-4.3
Other	-	-	-	4.5-14.8*
SUMS	18-133	503-1342	3.3-14.1	10.4-37.1

Reaction of OH• with carbon disulfide and dimethyl sulfide

*1 mol = 32g S

 $1 \text{ Gmol} = 10^9 \text{ mol}$

Animal Feeding Operations???

Source: Warneck (2000)

A Few NC Swine Statistics

Year	Population (millions)	# of Farms
1987	~2.5	~13,000
1997	~10	<5,000

North Carolina is the second leading producer of hogs in the U.S. Iowa is #1

1997: NC Moratorium established, hog population

H₂S Accepted Ambient Level (AAL)


Acceptable Ambient Level (AAL)	Time Average	Date of Acceptance
83ppb 0.120 mg m ⁻³	24-hour	April 8, 2004

Source: http://h2o.enr.state.nc.us/admin/emc/2004/documents/2004-04EMCminutes.doc


Exposure to elevated levels may lead to respiratory and asthmatic problems

There are no federal standards; U.S. EPA does not recognize H2S as an air toxin

Swine Farm Distribution in North Carolina (2nd in the Nation)




North Carolina NH₃ Emissions Inventory



Source: Aneja et al., 1998

North Carolina 2002 H₂S Emissions Inventory



What about Animal Feeding Operations???

No quality data from previous measurements


U.S. EPA estimates ~40 Million lb H₂S yr⁻¹ in N.C. based on

Midwest farm emission factors (unpublished data)

N.C. DAQ believes this is a gross overestimation

Source: http://daq.state.nc.us/toxics/studies/H2S


Gas-To-Particle Conversion Processes



Droplet Phase (Dp > 10um)

Chemical coupling in the atmospheric gas, particle, and droplet phases (Meng, et al., 1997).

Gas-To-Particle Conversion Processes



Primary Chemical Reaction for H₂S in the Ambient Atmosphere

$$H_2S + OH \rightarrow HS + H_2O$$
 $HS + O_2 \rightarrow OH + SO$
 $SO + O_2 \rightarrow SO_2 + O$

Generally:

Reduced sulfur compound + complex set of atmospheric chemical reactions \rightarrow SO₂ + products

Source: Jacobson, 2000

Pathway for Aerosol Formation

Then: $SO_2 + OH \xrightarrow{M} HSO_3$ $HSO_3 + O_2 \rightarrow HO_2 + SO_3$ $SO_3 + H_2O \rightarrow H_2SO_4$ $2NH_{3(g)} + H_2SO_{4(g/l)} \rightarrow (NH_4)_2SO_{4(s)}$

$$(NH_4)_2SO_4 = PM_{2.5} \text{ or PM}_{fine}$$

Lifetime of Atmospheric Ammonium Sulfate: ~1-15 days

- > PM_{fine} (Criteria pollutant) may contribute to bronchial or respiratory problems in humans
- Deposition of Ammonium Sulfate can contribute to degradation of sensitive plant and water ecosystems




North Carolina Experimental Research Site



Experimental SiteLagoon & Spray Technology





Anaerobic Waste Treatment Storage Lagoon


*Not drawn to scale

Agricultural Crops

On-Site Measurement Locations








Dynamic Flow-Through Chamber System

Lagoon and Soil Measurements



Analysis Instrumentation/ Quality Assurance

Continuous NH3 measurements

- > Thermo Environmental Instruments Model 17C chemiluminscence analyzer.
- > Calibration prior to and after each field experiment.
- > Span checks (80, 60, 40 and 20% of full-scale range), zero air measurements.

Continuous H₂S measurements

- ➤ Thermo Environmental Instruments Model 450C pulsed fluorescence H₂S/SO₂ analyzer.
- > Calibration prior to and after each field experiment.
- > Span checks (80, 60, 40 and 20% of full-scale range), zero air measurements.

Data Recorder

- Campbell Scientific CR10X data logger coupled with an AM 16/32 multiplexer collects data every second and averages over 15-minute intervals.
- ➤ Records data for H₂S concentration, mass flow controller, and meteorological and lagoon parameters.

Reduced sulfur measurements

H₂S, DMS, DMDS, CS₂, COS, CH₃SH, C₂H₅SH....

- Shimadzu Model 14B Gas Chromatograph equipped with a Flame Photometric Detector (GC-FPD).
- > Automated sample analysis made once per hour.
- > Calibration curves established.
- > Minimum detectable limits set for each compound.
- > Standards and blanks run to ensure proper identification and concentrations.

Flux Calculations

$$J=C_{H_2S}q$$

Barn emissions

J Flux (μg min⁻¹)

 C_{H_2S} H₂S concentration (µg m⁻³)

q Fan flow rate (m³ min-1) (for each fan running)

$$rac{J}{h} = C_{eq} \left(rac{LA_w}{V} + rac{q}{V}
ight)$$

J Flux (µg m⁻² min⁻¹)

h Chamber height (cm)

Ceq Steady-state H₂S concentration (µg m⁻³)

L Loss term (determined experimentally)

Aw Internal chamber wall area (cm²)

q Flow rate (L min-1)

V Volume inside the chamber (L)

Lagoon and soil emissions


Assumptions:

Steady state
$$\frac{dC}{dt} = \theta$$

R = 0, [C]₀ = 0 when zero grade air is used as carrier gas

Experimental Site Lagoon Parameters

	pН	Lagoon Sfc Temp (°C)	NH _{3(aq)} (mg L ⁻¹)	TKN _(aq) (mg L ⁻¹)	Sulfide _(aq) (mg L ⁻¹)	$\frac{\mathrm{H_2S_{(aq)}}}{\mathrm{(mg L}^{-1})}$
Oct 25 - Nov 1 (2004)	8.1	18.5	374	406	0.5	0.07
Feb 15 – Feb 22 (2005)	8.1	11.6	489	536	3.7	0.5
Apr 14 – Apr 20 (2005)	7.9	15.0				




* Calculated Value


For Highest H₂S Emissions:

- **✓** Low lagoon pH
- \checkmark High lagoon $H_2S_{(aq)}$ concentration
- **✓** High lagoon surface temperature


Comparison of Ammonia Flux vs Lagoon Temperature



Preliminary Results H₂S Lagoon Emissions (μg m⁻² min⁻¹) Diurnal and Seasonal Variation



Preliminary Results H₂S 10 m Ambient Concentration* (ppb) Diurnal and Seasonal Variation




^{*}Measurements made near hog barns and waste treatment storage lagoons.

Ambient level rules generally apply near property boundary line.

Preliminary Results

Experimental Site NH₃ and H₂S Barn Emissions Diurnal and Seasonal Variation



- \triangleright 5 outlet fans per house: 2 36", 3 48"
- > 5 different "on/off" stages for fan usage (Temperature dependent)
- \succ "On/off" stages and fan rpms are monitored and used to calculate H_2S emissions

NRI Air Quality – Extension & Outreach

2004 Progress

- Meetings (two planned & completed)
 - Producer meeting (Hog production and air quality), Jones Co., 20 (October)
 - Regional Pork Conference (Air quality and emissions research update), Kinston,
 Lenoir Co., 125 (November)
- Trainings with air quality components (two planned & one completed)
 - Hose drag waste applicator impacts on ammonia and odor, 20 (May)
 - Low odor, low drift options for waste water applications canceled due to low enrollment
- Fact sheets (two planned & one published)
 - Liquid manure application using hose drag method, published
 - Poultry litter amendments, in review
- Web-related activities
 - Expand and strengthen the air quality component of Biological & Agricultural Engineering Dept. Extension website
 - Develop material for web site for the extension component of the Project

NRI Air Quality – Extension & Outreach

2005 Plans

- Meetings (two planned)
 - NC Pork Council, NC Poultry Federation, producer meetings
 - Two producer meetings scheduled to discuss the EPA Air Compliance Agreement
- Trainings with air quality components (two planned)
 - Hose drag waste applicator impacts on ammonia and odor, 20 people
 (May)
 - Low odor, low drift options for waste water applications canceled due to low enrollment
- Fact sheets (one planned)
 - Poultry litter amendments (S. Shah, P. Westerman, & J. Parsons), in review
- Web-related activities (continue activities from 2004)

Publications and Presentations

Publications

Aneja V., D. Niyogi, P. Roelle, 2005, An integrated perspective on assessing agricultural air quality, *Intrnl. J. of Global Environmental Issues*, in press.

Niyogi D., K. Alapaty, S. Phillips, V. Aneja, 2005, Considering ecological formulations for estimating deposition velocity in air quality models, *Intrnl. J. of Global Environmental Issues*, in press.

Aneja, V., J. Blunden, C. Claiborn, and H. Rogers, 2005, Dynamic atmospheric chamber systems: applications to trace gas emissions from soil and plant uptake, *Intrnl. J. of Global Environmental Issues*, in press.

Goetz, S., Y. Zhang, and V.P. Aneja, 2005, Meaurement, analysis, and modeling of fine particulate matter in Eastern North Carolina, *Atmos. Environ.*, submitted.

Presentations

Aneja, V., J. Blunden, C. Claiborn, and H. Rogers, Dynamic chamber system to measure gaseous compounds emissions and atmospheric-biospheric interactions, NATO Advanced Research Workshop, Environmental Simulation Chambers: Application to Atmospheric Chemical Processes 1 – 4 October, 2004, Zakopane, Poland.

Niyogi D., K. Alapaty, S. Phillips, V. P. Aneja, Considering ecological formulation for estimating deposition velocity in air quality models, AAAR Specialty Conference,

Atlanta, 11 – 14 **February 2005**.

Air Quality: Ray Knighton

NRI Competitive Grants Program U. S. Department of Agriculture Washington, D. C. 20024

National Workshop on Agricultural Air Quality: State of the Science

Principal Investigator and Project Scientist:

Viney P. Aneja

Professor, Air Quality
Department of Marine, Earth, and Atmospheric Sciences
North Carolina State University
Raleigh, NC 27695 – 8208
(919) 515 7808 (Voice)

Co-Principal Investigators:

1		
William H. Schlesinger	Gregory Jennings	Dev Niyogi
James B. Duke Professor	Associate Director	North Carolina Agricultural
of Biogeochemistry	N C W RRI &	Research Services, &
Dean, Nicholas School of	College of Agriculture	Department of Marine,
the Environment and Earth	and Life Sciences	Earth, Atmospheric Sciences,
Sciences	North Carolina State	North Carolina State
Duke University	University	University
Durham, N.C. 27708	Raleigh, NC 27695	Raleigh, NC 27695

Co-Investigators:

Wendell Gilliam, William Neal Reynolds Professor Emeritus, Department of Soil Science, NCSU Clifford Duke, Ecological Society of America, Washington, DC Rhonda Kranz, Ecological Society of America, Washington, DC

Workshop on Agricultural Air Quality: State of the Science www.esa.org/AirWorkshop June 5-8, 2006, Potomac, MD, near Washington, D.C.

Acknowledgements

- U.S. Department Of Agriculture National Research Initiative Contract No. 2004-35112-14253
- Frontline Farmers Association
- Technical Support

Roberto Munilla, Mike Adcock (NCSU BAE Dept.)
Wesley Stephens (NCSU MEA Dept.)

 Graduate Students, Air Quality Research Group, North Carolina State University